

INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Glue Down	7. 25"x 48"	2mm	12mil
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
24	58	60	3,480













FloorScore certified for indoor air quality, free of phthalate, formaldehyde and VOC emissions.



Durable protection against indentation, stains, and scratches.




Impeding microorganisms growth, long term protection against bacteria, fungi, and molds.



Resistant to fire damage and won't assist the spread of fires.



Production designed to a sustainable environment. ZERO trees used.



Identification	Glue Down Luxury Vinyl	Rigid Core	Rigid Core Select	Rigid Core Pro	Rigid Core Pro Max	WPC Luxury Vinyl	Water Resistar Laminate
Installation	Glue Down	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC
Waterproof?	0	0	0	0	0	0	0
ScratchGuard Finish?	•	0	•	0	0	0	0
Suitable for Commercial Use?	0	0	0	0	0	0	0
Pad Attached	0				Ø	•	0
EIR Emboss?	0	0	0	0		0	0
Painted Bevel?	0	0	0	Ø	0	0	Ø
Nature Bevel?	0	0	0	0	0	•	0
Extra Large Planks?	0	0	0	0		0	0
Overall Thickness	2mm	5.3mm	5.5mm	5.5mm	6.5mm	8mm	12mm
Wear layer	12mil	12mil	20mil	20mil	20mil	20mil	AC3



INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Click	7. 16"x 48. 03"	5.3mm	12mil
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
12	28. 68	55	1577.41













FloorScore certified for indoor air quality, free of phthalate, formaldehyde and VOC emissions.



Durable protection against indentation, stains, and scratches.




Impeding microorganisms growth, long term protection against bacteria, fungi, and molds.



Resistant to fire damage and won't assist the spread of fires.



Production designed to a sustainable environment. ZERO trees used.



Identification	Glue Down Luxury Vinyl	Rigid Core	Rigid Core Select	Rigid Core Pro	Rigid Core Pro Max	WPC Luxury Vinyl	Water Resistant Laminate
Installation	Glue Down	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC
Waterproof?	0	0	0	O	Ø	0	0
ScratchGuard Finish?			0	•		0	•
Suitable for Commercial Use?	0	0	0	O	0	0	•
Pad Attached	0		Ø	0	0	0	0
EIR Emboss?	0	0	0	0	Ø	0	0
Painted Bevel?	0	0	0	•	0	0	•
Nature Bevel?	0	0	0	0	0	0	0
Extra Large Planks?	0	0	0	0	Ø	0	0
Overall Thickness	2mm	5.3mm	5.5mm	5.5mm	6.5mm	8mm	12mm
Wear layer	12mil	12mil	20mil	20mil	20mil	20mil	AC3



INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER		
Click	7. 09"x 48. 03"	5.5mm	20mil		
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET		
10	23.64	55	1300.20		













FloorScore certified for indoor air quality, free of phthalate, formaldehyde and VOC emissions.



Durable protection against indentation, stains, and scratches.



Impeding microorganisms growth, long term protection against bacteria, fungi, and molds.



Resistant to fire damage and won't assist the spread of fires.



Production designed to a sustainable environment. ZERO trees used.



Identification	Glue Down Luxury Vinyl	Rigid Core	Rigid Core Select	Rigid Core Pro	Rigid Core Pro Max	WPC Luxury Vinyl	Water Resistant Laminate
Installation	Glue Down	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC
Waterproof?	•	0	0	0	0	0	0
ScratchGuard Finish?	0	•	•	•	0	0	0
Suitable for Commercial Use ?	0	•	0	0	0	0	0
Pad Attached	0	•	•	•	0	0	0
EIR Emboss?	0	0	0	0	0	0	0
Painted Bevel?	0	0	0	•	0	0	0
Nature Bevel?	0	0	0	0	0	0	0
Extra Large Planks?	0	0	0	0	0	0	0
Overall Thickness	2mm	5.3mm	5.5mm	5.5mm	6.5mm	8mm	12mm
Wear layer www.eliteflooring.	12mil com	12mil	20mil	20mil	20mil	20mil	AC3



Flooring Your Dream House 100% WATERPROOF LIFETIME

Rigid Core Pro PR410 Paradise Bay

INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER		
Click	7.16" x 48.03"	5.5mm	20mil		
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET		
	23.9		1553.5		













FloorScore certified for indoor air quality, free of phthalate, formaldehyde and VOC emissions.



Durable protection against indentation, stains, and scratches.




Impeding microorganisms growth, long term protection against bacteria, fungi, and molds.



Resistant to fire damage and won't assist the spread of fires.



Production designed to a sustainable environment. ZERO trees used.



Identification	Glue Down Luxury Vinyl	Rigid Core	Rigid Core Select	Rigid Core Pro	Rigid Core Pro Max	WPC Luxury Vinyl	Water Resistan Laminate
Installation	Glue Down	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC
Waterproof?	0	0	0	O	0	0	0
ScratchGuard Finish?	•	•	0	0	0	0	0
Suitable for Commercial Use?	O	0	0	0	0	0	0
Pad Attached	0	•	•	0	Ø	0	0
EIR Emboss?	0	0	0	0	0	0	Ø
Painted Bevel?	0	0	0	0	0	0	0
Nature Bevel?	0	0	0	0	0	0	0
Extra Large Planks?	0	0	0	0	0	0	0
Overall Thickness	2mm	5.3mm	5.5mm	5.5mm	6.5mm	8mm	12mm
Wear layer	12mil	12mil	20mil	20mil	20mil	20mil	AC3





Flooring Your Dream House 100% WATERPROOF LIFETIME

Rigid Core Pro PR423 Gray Mountain

INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Click	12"×24"		
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
12		66	1584











able environment. ZERO trees used.

LOW CARBON



Identification	Glue Down Luxury Vinyl	Rigid Core	Rigid Core Select	Rigid Core Pro	Rigid Core Pro Max	WPC Luxury Vinyl	Water Resistant Laminate
Installation	Glue Down	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC
Waterproof?	0	0	0	0	0	0	0
ScratchGuard Finish?	0	0	•	•	•	0	0
Suitable for Commercial Use?	0	0	0	0	0	0	0
Pad Attached	0	•	0	•	Ø	•	0
EIR Emboss?	0	0	0	O	Ø	0	0
Painted Bevel?	0	0	0	Ø	0	0	•
Nature Bevel?	0	0	0	0	0	0	0
Extra Large Planks?	0	0	0	0	Ø	0	0
Overall Thickness	2mm	5.3mm	5.5mm	5.5mm	6.5mm	8mm	12mm
Wear layer	12mil	12mil	20mil	20mil	20mil	20mil	AC3



Flooring Your Dream House
100% WATERPROOF LIFETIME

Rigid Core Pro Max PM501 Olympic

INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Click	9.05"x 60"		
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
	22.64		













FloorScore certified for indoor air quality, free of phthalate, formaldehyde and VOC emissions.



Durable protection against indentation, stains, and scratches.




Impeding microorganisms growth, long term protection against bacteria, fungi, and molds.



Resistant to fire damage and won't assist the spread of fires.



Production designed to a sustainable environment. ZERO trees used.



Identification	Glue Down Luxury Vinyl	Rigid Core	Rigid Core Select	Rigid Core Pro	Rigid Core Pro Max	WPC Luxury Vinyl	Water Resistan Laminate
Installation	Glue Down	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC
Waterproof?	0	0	•	0	0	0	0
ScratchGuard Finish?	•	•	•	•	0	0	0
Suitable for Commercial Use?	0	0	0	•	Ø	0	0
Pad Attached	0	•	•	•	0	0	0
EIR Emboss?	0	0	0	O	0	0	0
Painted Bevel?	0	0	0	0	0	0	0
Nature Bevel?	0	0	0	0	0	O	0
Extra Large Planks?	0	0	0	0	0	0	0
Overall Thickness	2mm	5.3mm	5.5mm	5.5mm	6.5mm	8mm	12mm
Wear layer	12mil	12mil	20mil	20mil	20mil	20mil	AC3



100% WATERPROOF LIFETIME

WPC Engineered Vinyl PU606 Florence

INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER		
Click	7.09"x 59.84"		20mil		
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET		
8	23.56		1531.4		













FloorScore certified for indoor air quality, free of phthalate, formaldehyde and VOC emissions.



Durable protection against indentation, stains, and scratches.



Impeding microorganisms growth, long term protection against bacteria, fungi, and molds.



Resistant to fire damage and won't assist the spread of fires.



Production designed to a sustainable environment. ZERO trees used.



Identification	Glue Down Luxury Vinyl	Rigid Core	Rigid Core Select	Rigid Core Pro	Rigid Core Pro Max	WPC Engineered Vinyl	Water Resistan Laminate
Installation	Glue Down	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC
Waterproof?	0	0	•	•	0	0	0
ScratchGuard Finish?					0		
Suitable for Commercial Use?	0	0	•	•	0	0	0
Pad Attached	0				0		0
EIR Emboss?	0	0	0	•	0	0	0
Painted Bevel?	0	0	0	•	0	0	0
Nature Bevel?	0	0	0	0	0	0	0
Extra Large Planks?	0	0	0	0	Ø	0	0
Overall Thickness	2mm	5.3mm	5.5mm	5.5mm	6.5mm	8mm	12mm
Wear layer	12mil	12mil	20mil	20mil	20mil	20mil	AC3



INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER		
Click	7.67"x 47.83"	12mm			
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET		
	15.3	65			
















Durable protection against indentation, stains, and scratches.



Impeding microorganisms growth, long term protection against bacteria, fungi, and molds.



Resistant to fire damage and won't assist the spread of fires.



Production designed to a sustainable environment. ZERO trees used.



Identification	Glue Down Luxury Vinyl	Rigid Core	Rigid Core Select	Rigid Core Pro	Rigid Core Pro Max	WPC Luxury Vinyl	Water Resistant Laminate
Installation	Glue Down	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC
Waterproof?	0	O	0	0	0	0	0
ScratchGuard Finish?	•	•	•	•	0	0	•
Suitable for Commercial Use?	Ø	•	•	0	0	0	•
Pad Attached	0	•	•	•	•	0	0
EIR Emboss?	0	0	0	•	0	0	0
Painted Bevel?	0	0	0	0	•	0	0
Nature Bevel?	0	0	0	0	0	0	0
Extra Large Planks?	0	0	0	0	0	0	0
Overall Thickness	2mm	5.3mm	5.5mm	5.5mm	6.5mm	8mm	12mm
Wear layer	12mil	12mil	20mil	20mil	20mil	20mil	AC3